



STRUMENTO MARINO

STRUMENTOMARINO.COM


User Manual
Japan Miyota JS05 - JS15 - JS25

BATTERY: SR6215W
BATTERY LIFE: 2 YEARS



24 Hour Hand

Stopwatch
Second Hand



Button A

Crown

1

2

Button B

Stopwatch
Minute hand

Regular Position

1st Click Position



A) SETTING THE TIME

1. Pull the crown out to the third position.
2. Turn the crown to set hour and minute hands.
3. After the time has been set, push the crown back to the first position.

B) SETTING THE DATE

1. Pull the crown out to the second position.
 2. Turn the crown clockwise to set the date.
- *If the date is set between the hours of around 9:00 PM and 1:00 AM, the day may not change on the following day.
3. After the date has been set, push the crown back to the regular position.

C) USING THE STOPWATCH

This stopwatch is able to measure and display time in 1/1 second united up to maximum of 30 minutes.

Stopwatch will stop automatically after running continuously for 30 minutes.

[Measuring time with the stopwatch]

1. Press button "A" to start the stopwatch.
2. The stopwatch can be started and stopped each time button "A" is pressed.
3. Press button "B" to reset the stopwatch and stopwatch minute and second hands return to their normal positions.



D) STOPWATCH RESET (INCL. AFTER REPLACING BATTERY)

This procedure should be performed when the stopwatch second & minute hand does not return to the (0) position.

1. Pull the crown out to the third position.
2. Press the button "A" to set the stopwatch second hand forward.

Press the button "B" to set the stopwatch second hand back.

*The stopwatch minute hand is synchronized with stopwatch second hand.

*The stopwatch second hand can be advanced rapidly by continuously pressing button "A" or "B".

3. Once both hands have been zeroed, reset the time and return the crown to its normal position.